

ZJER

ZIMBABWE JOURNAL OF EDUCATIONAL RESEARCH

Volume 28 Number 1
March 2016



UNIVERSITY OF ZIMBABWE

Contents	Page
Appraising Capacity Building among Engineering Students in Selected Universities in Southwestern Nigeria <i>Olonade, Kolawole Adisa & Balogun, Adedoyin Usman</i>	1
Factors Affecting School Completion by the Girl-child in Binga Rural District, Zimbabwe <i>Taruvinga Muzingili & G.A. Muchinako</i>	19
Girl-Child Education in Nigeria: Issues and Implications on National Development <i>Joseph A. Oluyemi & Muhammed A. Yinusa</i>	44
Challenges Facing Student Affairs Practitioners in Zimbabwean Universities: The Call for a Higher Education Meta-Normative Framework <i>Munyaradzi Madambi & Fainos Mangena</i>	61
Health Implications of Internet Addiction among In-School Adolescents in Ogbomoso North Local Government Area of Oyo State, Nigeria <i>Iyanda, Adisa Bolaji & Akintaro, Opeyemi Akinpelu</i>	79
Contextualization: Teaching Estimation to Grade Five and Six Learners Using Maize Crop <i>Calisto Majengwa</i>	91
Factors that Determine the Use of the Counselling Centre by Students of a Nigerian Institution of Higher Learning <i>Bolu-Steve, F.N. & Ogungbade, O.K.</i>	104

Health Implications of Internet Addiction among In-School Adolescents in Ogbomoso North Local Government Area of Oyo State, Nigeria

Iyanda, Adisa Bolaji & Akintaro, Opeyemi Akinpelu

University of Ibadan, Ibadan, Nigeria

Abstract

The Internet has positive impacts on modern day society despite its link to societal concerns about pornography, sexual laxity, sleeping problem and occurrence of sexually transmitted infections (STIs). Its easy accessibility poses greater risks and dangers to adolescents as compared to other forms of media. The study is on health implication of Internet addiction among in-school adolescents in Ogbomoso North Local Government Area of Oyo State, Nigeria. The study was carried out using descriptive survey research design. One thousand and eighty (1,080) respondents were selected as sample for the study using simple random sampling technique. Self-developed questionnaire with reliability coefficient of 0.74 was used as an instrument for data collection. Four hypotheses were raised and analysed using inferential statistics of Chi-square at 0.05 level of significance. All the four hypotheses were rejected. The result of the study shows that Internet addiction significantly influences occurrence of teenage pregnancy, abortion, sexually transmitted infection and sleep disorder. The study therefore recommended that the government, NGOs, educators and religious groups should intensify efforts to educate the youths and the adolescents on the positive use of Internet through workshops, symposia, conferences, and health talks.

Introduction

The Internet is a system of enormous technical and social complexity. It comprises a massive but almost invisible universe that includes thousands of networks, millions of computers and billions of users across the world. Vast

amounts of information are transmitted from one network to another and it knows no boundaries for it can be accessed all over the world (Greenfield & Yan, 2006). The Internet has reduced the world to a global village and it is now possible to have immediate access to information that is located far away from the immediate environment. Access to information is no longer constrained by time and space. Therefore, Internet has become a gateway to information, communication and commerce (Robin, 2001).

The Internet has become an essential part of daily life. Robin (2001) defined the Internet as a system of systems, a catalyst for thinking that enables integrated collaborative yet personalized intellectual activity. The Internet offers a wide range of facilities and services which include e-mail, browsing, teleconferencing and telecommunicating. Two major modes of communicating on the Internet were identified by Tiamiyu (1999) as electronic mailing and Internet browsing. He submitted that virtually all the other more specific types of Internet are based on either or both of the modes. It presents unprecedented opportunities for rapid and efficient access to information, entertainment and social interaction which also affect the health and well-being of users (Genius & Genius, 2005).

Adolescence, as a stage of human development, has different definitions from various perspectives. This is a period between 10 and 19 years of age. It is a transitional period between childhood and adulthood. It is also a period in which the adolescents experience transformation in their physique, emotions, cognitive and social interaction (Fayombo, 2004; Fieldman, 2000). According to Bamgbose (2002), adolescents constitute about 43% of the Nigerian populace. With the high birth rate in a developing country like Nigeria, it is expected that the number of adolescents will continue to increase over the next several decades.

Many adolescents reportedly prefer being online to other media such as the telephone, television and radio. It is observed that so many adolescents spend so much time on the Internet, it is therefore essential to be aware of its impact on adolescents' behaviour, wellbeing and development (Lenhart, Madden & Hitlin, 2005). Many young people across the world use the Internet for academic and social interaction with people in sharing ideas about various issues. However, it has also been reported that youths who spend time online are exposed to varieties of social and violent materials including the risk of meeting dangerous people. Youth online behaviour includes blogging, Internet harassment or bullying, and pornography (Mitchell, Wolak & Finkelhor, 2008).

Although, the Internet has consistent positive impacts on modern society, it has caused various societal concerns about privacy, security, pornography, Internet crime, and virtual community (Greenfield & Yan, 2006). Its easy accessibility poses greater risks and dangers for youths as compared to other forms of media. In a survey by Common Sense Media (2006), 85% of parents reported that, among all forms of media, the Internet posed the greatest risk to their children. Besides, the Internet has become a highly effective and profitable means of distributing sexually explicit materials as well as a sophisticated channel for compulsive sexual behaviour, sex trafficking, and sex crimes (Galbreath & Berlin, 2002). Free access and exposure to information on the Internet by adolescents could pose negative impacts on their development and could potentially manifest in the social interactions with peers, their sexual activity and their emotional development.

The Internet has encouraged sending mixed messages and exposure to some sexually explicit materials like pornographic films, nude photographs which

may also contribute to high incidence of teenage pregnancy. Intimate bonds are quickly formed among on-line users and this encourages sharing of ideas. Consequently users make more emotional risks by voicing controversial opinions about abortion, religion, and other laden issues in which they may not be able to share even with their closest confidant (Dangal, 2005). In order to avoid stigma and shame associated with teenage pregnancy, the adolescent may source for information on how to procure abortion through friends on the Internet.

Adolescence is a stage of experimentation and this also affects their sexuality as some of them may try to experiment with what they see on the Internet thereby leading to teenage or unwanted pregnancy. According to Dangal (2005), popular media culture that simulates sexual activity promotes promiscuity. Engaging in illicit sexual act especially with multiple sexual partners may expose the adolescent to sexually transmitted infections including HIV/AIDS.

Statement of problem

Adolescents constitute one of the most dynamic human resource bases and the period of adolescence is a very critical stage in the life of every individual. However, the axis of adolescence problems remain sexual and reproductive behaviour as this period is highly characterized by high risk of premarital sexual activity, unintended pregnancy and the alarming increase in the numbers of HIV- infected youths. The increasing pervasiveness of the Internet on the lives of the adolescents is by now well established as a result of which they are exposed to a lot of unwanted information on the Internet which has exposed them to social vices. There is an urgent need for health educators to check and create awareness on some of the social implications of Internet use

on adolescents. Therefore, these researchers examined the health implications of Internet addiction among in-school adolescents in Ogbomoso North Local Government Area of Oyo State, Nigeria.

Methodology

The study was grounded on the descriptive survey research design. One thousand and eighty (1080) respondents were selected using simple random sampling technique. A self-developed and validated instrument with reliability coefficient of 0.74 was used for data collection. Inferential statistics of regression was used to test the hypotheses at 0.05 Alpha level.

Results

Table 1
Teenage Pregnancy and Internet Addiction

ITEM	SA	A	D	SD	X ² _{cal}	X ² _{crit}	df	P
Information gotten on the Internet can influence promiscuity and teenage pregnancy	331 32.5%	326 32.0%	209 20.5%	147 14.4%	33.377	16.919	9	.000
Some information on the Internet encourages adolescents to engage in sex which may lead to teenage pregnancy	377 37.0%	374 36.7%	182 17.8%	87 8.5%				
Teenage pregnancy is directly related to Internet addiction	106 10.4%	268 26.3%	392 38.4%	216 21.2%				

The above table shows that Internet addiction significantly influences the occurrence of teenage pregnancy ($X^2_{cal}=33.77$, $X^2_{crit}=16.919$, $df=9$ and $p<0.005$). The table also revealed that X^2_{cal} is greater than X^2_{crit} , therefore the hypothesis is rejected. This is in line with the opinion of Ginman (2000) who stated that adolescents are exposed to some negative information on the

Internet such as pornography and other films that arouse their sexuality thereby making them to experiment with sex which may lead to teenage pregnancy. Dangal (2005) asserted that sending mixed messages to teenagers may also contribute to incidence of teenage pregnancy.

Hypothesis 2: *Internet addiction will not significantly influence the occurrence of STIs among in-school adolescents in Ogbomoso North Local Government Area of Oyo State, Nigeria.*

Table 2
Sexually Transmitted Infections and Internet Addiction

ITEM	SA	A	D	SD	X ² cal	X ² crit	Df	P
Most adolescents contact STIs as a result of sexual relationship resulting from exposure to pornographic films on the Internet	375 36.8%	354 34.7%	154 15.1%	129 12.6%	63.94	21.026	12	.000
Adolescent are infected with STIs as a result of illicit sexual act resulting from their exposure to Internet	268 26.3%	423 41.5%	240 23.5%	89 8.7%				
Most adolescents Internet addicts are involved in multiple sexual activities which expose them to STIs	213 20.9%	485 47.5%	230 22.5%	89 8.7%				
Internet addiction does not encourage STIs	206 20.2%	339 33.2%	301 29.5%	131 12.8%				

The above table shows that Internet addiction significantly influences the occurrence of teenage pregnancy ($X^2_{cal}=63.94$, $X^2_{crit}=21.026$, $df=12$ and $p<0.05$). The table also revealed that X^2_{cal} is greater than X^2_{crit} , therefore the hypothesis is rejected. This corroborate the view by Genius and Genius (2005) which stated that as a result of illicit sexual relationship among adolescents, they are prone to contract sexually transmitted infections including HIV/AIDS.

Hypothesis 3: *Internet addiction will not significantly influence the occurrence of abortion among in-school adolescents in Ogbomosho North Local Government Area of Oyo State, Nigeria.*

Table 3
Abortion and Internet Addiction

ITEM	SA	A	D	SD	X ² cal	X ² crit	Df	P
Most adolescents who are Internet addict procure abortion as a result of some information gotten from the Internet	238 23.3%	387 37.9%	263 25.8%	128 12.5%	45.743	18.307	10	.000
Internet addiction promote abortion as a result of illicit sexual relationship resulting into unwanted pregnancy	199 19.5%	301 29.5%	343 33.6%	166 16.3%				
Internet addiction discourages abortion	158 15.5%	312 30.6%	280 27.5%	166 16.3%				

The above table reveals that Internet addiction by adolescents significantly influences the occurrence of abortion ($X^2 \text{ Cal} = 45.743$, $X^2 \text{ critical} = 18.307$, $df = 10$, $P = .000$). The X^2 calculated is greater than X^2 critical, therefore the null hypothesis is rejected. This is supported by Dangal (2005) who stated that intimate bonds are quickly formed among the on-line users and this encourages sharing of ideas thereby making more emotional risks through sharing controversial opinion about abortion and other laden issues. In order to avoid the strong and shame associated and teenage pregnancy, the adolescent may source for information on how to procure abortion through friends on the Internet.

Hypothesis 4: *Internet addiction will not significantly influence the occurrence of sleep disorder among in-school adolescents in Ogbomosho North Local Government Area of Oyo State.*

Table 4
Sleep Disorder and Internet Addiction

ITEM	SA	A	D	SD	X ² cal	X ² crit	Df	p
Adolescents often experience headaches when addicted to Internet	227 22.3%	302 29.6%	274 26.9%	214 21.0%	43.32	21.026	12	.000
Adolescents experience eye pains when they are addicted to Internet	221 21.7%	395 38.7%	221 21.7%	170 16.7%				
Internet addiction encourages intermittent sleep	148 14.5%	308 30.2%	364 35.7%	178 17.5%				
Most adolescents Internet addict are slight sleepers	227 22.3%	280 27.5%	295 28.9%	215 21.1%				

The result shows that Internet addiction significantly influences the occurrence of sleep disorders among in-school adolescents ($X^2\text{-Cal}=43.32$, $X^2\text{crit}=21.026$, $df=12$, $P<0.05$). The calculated table value of 43.32 is greater than the critical table value of 21.026, therefore the null hypothesis is rejected. This is in line with the view by NIOSH (2001) that asserted that adolescents are addicted to the Internet; spending a major part of their time on the Internet. The use of the Internet has brought about the development of health concerns affecting the adolescents. Many of them develop ocular discomfort, muscular strains and stress as a result of being addicted to the Internet. Egger (1996) also ascertained that many adolescents suffer from sleep disorder, headaches, isolation and depression as a result of addiction.

Recommendations

Based on the above findings from this study and observations from various researches, the following recommendations are made:

- Efforts should be made by parents or guardians of adolescents to monitor their Internet habits and ensure positive use of the Internet.

Parents should be concerned about their children and be involved in their Internet life.

- Institutions of learning should incorporate media literacy into their curriculum in order to educate learners about the risks and benefits of Internet use.
- Awareness programmes and campaigns to educate the masses on the risks and benefits of Internet use, especially the adolescents, should be done in the media.
- Government should promulgate laws that prohibit access by youth to some sites on the Internet that promote social vices among adolescents. The law enforcement should monitor all the cyber cafes to enforce the rule.
- Government, NGOs, educators and religion groups should intensify efforts to educate the youths and the adolescents on the positive use of Internet through workshops, symposia, conferences, health talks.
- The media such as television, radio, newspapers and magazines should make concerted efforts in communicating and promoting positive sexual values and cultures among youths. Positive and accurate sexual information should be disseminated to foster healthy sexual behaviour among the youths. Programmes that centre on healthy sexual matters should be screened to ensure that positive moral value messages are passed across to the youths. Movies and music that can encourage sexual waywardness and promote nudity should not be displayed at all on the screen.
- Young ones should be educated on the importance and use of the Internet. Internet should be used for the purpose of obtaining information for enriching the knowledge and not to explore negative sexual information and experience that may be destructive. Internet

should be positively and relevantly explored to develop self and the environment.

Conclusion

Based on the research findings of this study, it was concluded that Internet addiction significantly influences the occurrence of teenage pregnancy among in-school adolescents in Ibadan North Local Government Area of Oyo State. Similarly, Internet addiction was found to significantly influence the occurrence of STIs and abortion among in-school among in-school adolescents. Furthermore, the study found that Internet addiction significantly influences the occurrence of sleep disorder among in-school adolescents in Ibadan North Local Government Area of Oyo State. Based on the these findings, various recommendations were proffered as suggestions and possible solutions to curb the excesses of Internet addictions by adolescents in general.

References

- Bangbose, O. (2002). Teenage prostitution and the future of the female adolescents in Nigeria. *International Journal of offender Therapy and Comparative Criminology*, 46(5), 549-555.
- Common Sense Media. (2006). Children's use of Internet. Retrieved 20th Dec., 2014 from www.common sense.com
- Dangal, G. (2005). An update on teenage pregnancy. *The Internet Journal of Gynaecology and Obstetrics*, 5(1).
- Egger, O. (1996). Internet and addiction. Retrieved 23rd January 2014 from www.netaddiction.com/articles/habitforming.htm
- Fayombo, G.A. (2004). *Human developmental across life span*. Ibadan: Alafas Nigeria company.
- Fieldman, R.S. (2000). *Essentials of understanding psychology*. Boston: McGraw Hill.
- Galbreath, N., & Berlin, F. (2002). Paraphilias and the Internet. In A. Cooper (Ed.), *Sex and the Internet: A guidebook for clinicians* (pp. 187-205). New York: Routledge.
- Genius, S.J., & Genius, S.K. (2005). Internet interactions, Adolescent health and cyberspace. Retrieved 6th July, 2012 from <http://www.nchi.nm.nih.gov/pmc/articles/pmc/472962/>
- Ginman, M. (2000). Health information and quality of life. *Health Information*, 66(4), 181-188.
- Greenfield, P., & Yan, Z. (2006). Children, adolescents and the Internet: A new field of enquiry in developmental psychology. *Journal of Applied Developmental Psychology*, 42(3), 391-394.

- Lenhart, A., Madden, M., & Hitlin, P. (2005). Teens and technology: You are leading the transition to a fully wired and mobile nation. Retrieved 12th Oct., 2014 from <http://www.pewInternet-org/reports/pdfs/pip-Teens-Report.pdf>
- Mitchell, K.J., Wolak, J., & Finkelhor, D.J. (2008). Are blogs putting youth at risk for online sexual solicitation or harassment? Child abuse neglect. *Journal of Adolescent Health*, 32, 227-294.
- National Institute for Occupation Safety and Health. (2001). Potential health hazard of video display terminals. *National Institute for Occupation Safety and Health*, 81-129.
- Robbins, J.I. (2001). Making connections: Adolescent girls' use of internet (Unpublished PhD. dissertation). The Virginia Polytechnic Institute and State University in Educational Research and Evaluation.
- Tiamiyu, M.A. (1999, October). *World Wide Web/Internet and information service in Nigeria in the new millennium*. Paper delivered at the Conference of the Nigerian Library Association, 27-29 October, University of Agriculture, Abeokuta, Ogun State, Nigeria.



This work is licensed under a
Creative Commons
Attribution – NonCommercial - NoDerivs 3.0 License.

To view a copy of the license please see:
<http://creativecommons.org/licenses/by-nc-nd/3.0/>

This is a download from the BLDS Digital Library on OpenDocs
<http://opendocs.ids.ac.uk/opendocs/>